

# INDUSTRY LEADING POWER TOOL SOLUTIONS

FEBRUARY — APRIL 2026



**MAKE. MOVE. GO**

**HIKOKI**

# HIKOKI REDEMPTIONS



## PURCHASE

36V Brushless  
165mm Plunge Saw  
BARE TOOL  
C3606DPA(G5Z)



BSL3640MVT  
**BONUS\***



## PURCHASE

36V Brushless SDS-MAX  
Rotary Hammer  
BARE TOOL  
DH3640DA(G2Z)



BSL3640MVT  
**BONUS\***



## PURCHASE

36V Brushless  
300mm Chainsaw  
BARE TOOL  
CS3630DC(H4Z)

RA18DA(G4Z)  
**BONUS\***



## PURCHASE

36V Brushless 1/2"  
1400Nm Impact Wrench  
BARE TOOL  
WR36DG(G4Z)



WR18DH(G4Z)  
**BONUS\***



## PURCHASE

18V Gasless  
90mm Framing Nailer  
BARE TOOL  
NR1890DCA(G4Z)

382417

**BONUS\***



## PURCHASE

36V Brushless  
254mm Table Saw  
BARE TOOL  
C3610DRJ(G4Z)

ET36A

**BONUS\***



## PURCHASE

36V Brushless  
Slide Compound Mitre Saw  
T-PWR KIT  
C3612DRA(GTZ)



C3606DPA(G4Z)  
**BONUS\***



18V/36V MULTI VOLT  
10-Tool Kit  
KC183610DE(GRZ)

CS3635DB(G4Z)  
**BONUS\***



18V/36V Brushless  
5-Tool Kit  
KC18365DA(GRZ)

UP18DA(W4Z)  
**BONUS\***



## PURCHASE

18V Gasless  
90mm Framer & 16G  
Angle Brad Nailer Kit  
KC18DCAM(GRZ)

WH36DC(G4Z)

**BONUS\***



## PURCHASE

36V Brushless  
Rebar Bender Cutter Kit  
VB3616DA(GGZ)

WR36DB(G4Z)

**BONUS\***



## PURCHASE

36V Brushless SDS-MAX  
Rotary Hammer Kit  
DH36DMA(GAZ)

G3623DA(G4Z)

**BONUS\***

PROMOTIONAL PERIOD 1ST FEBRUARY – 30TH APRIL 2026.  
REDEMPTION CLOSURES 10TH MAY 2026. BONUS VIA REDEMPTION.

\*TERMS & CONDITIONS APPLY.

Offer via redemption and valid for purchases from 1 February 2026 - 30 April 2026.

Redemption closes on 10th May 2026. Not in conjunction with any other bonus offer. While stocks last. Must be transacted on one receipt to qualify.

Proof of purchase and photo of barcodes required. For full terms & conditions, and to redeem, go to [www.hikoki.co.nz/promotions/](http://www.hikoki.co.nz/promotions/)



SCAN TO REDEEM

# HIKOKI REDEMPTIONS

## PURCHASE



18V Gasless 90mm Framing Nailer Kit  
NR1890DCA(GMZ)



18V Brushless 125mm Circular Saw BARE TOOL  
C1805DA(G2Z)



NT1865DSA(H4Z)

**BONUS\***

## PURCHASE



36V Brushless 125mm Angle Grinder T-PWR Kit  
G3613DVE(GTZ)



36V Brushless 1/2" 770Nm Impact Wrench BARE TOOL  
WR36DE(G4Z)



UB18DB(H4Z)

**BONUS\***

## PURCHASE



18V Gasless 65mm Metal Bracket Nailer Kit  
NR3665DA(GMZ)



18V Brushless 125mm Circular Saw BARE TOOL  
C1805DA(G2Z)



M1808DA(G4Z)

**BONUS\***

## PURCHASE

Multi Cruiser Portable Tool Box  
379487



Multi Cruiser Large Tool Box  
379484



379481

**BONUS\***

PROMOTIONAL PERIOD 1ST FEBRUARY - 30TH APRIL 2026.  
REDEMPTION CLOSING 10TH MAY 2026. BONUS VIA REDEMPTION.

\*TERMS & CONDITIONS APPLY.

Offer via redemption and valid for purchases from 1 February 2026 - 30 April 2026. Redemption closes on 10th May 2026. Not in conjunction with any other bonus offer. While stocks last. Qualifying tools must be purchased and invoiced together to qualify for the bonus offer. Proof of purchase and photo of barcodes required. For full terms & conditions, and to redeem, go to [www.hikoki.co.nz/promotions/](http://www.hikoki.co.nz/promotions/)



SCAN TO REDEEM

# CHARGE ON THE GO

## NEW HIKOKI USB POWER CHARGER UC18DA(H4Z)

HiKOKI's Cordless Power Solutions continues to expand, and with this new innovation, you can now charge and power up on the go with HiKOKI's **USB Power Charger**.

This Power Charger features a **USB Power Delivery (PD)** which is a protocol that enables high power charging of your HiKOKI 18V or Multi Volt Battery via USB-C cable, either on the move, or via the supplied AC Adaptor. **USB Power Delivery** allows connected devices to negotiate power levels, enabling fast charging and supporting a wide range of devices than traditional USB technology.

USB PD is not just about power – connected devices can switch power roles, allowing devices to both charge, and be charged by each other.

Recharge your HiKOKI battery in as little as 40 minutes, and use the HiKOKI Power Charger to power your laptop, phone, and any other compatible devices while away from mains power.



Charge your HiKOKI batteries on the go with USB PD



Charge large electronic devices like laptops



Charge your HiKOKI batteries via mains power



1x 65W USB-C PD IN/OUT for fast charging of HiKOKI batteries via mains power or USB-C PD outputs.



1x 5V-2.5A USB-C OUT for fast powering of electronic devices like phones and laptops.



1x 240V INPUT TO USB-C OUTPUT for fast mains charging of HiKOKI batteries and devices.



1x IN-BUILT LED LIGHT delivering 130 lumens for high visibility in low light.

# HIKOKI T<sup>⚡</sup>PWR

## UNLEASH MORE POWER

**NEW BSL3640MVT 2160W MULTI VOLT T-PWR BATTERY**

**+50%**  
MORE POWER\*

**+45%**  
COOLER RUNNING\*

**+75%**  
MORE CUTS#



# THE MULTI VOLT ADVANTAGE

## HIGH OUTPUT MULTI VOLT BATTERIES

HiKOKI MULTI VOLT High Output Batteries redefine tool performance and power. Supercharge your work with HiKOKI's new high output cordless system powering over 190+ tools across two voltages.

**1080W**  
MAX OUTPUT

**5.0AH**

2.5AH (36V)

**18650**

HIGH OUTPUT CELLS



**BSL36A18X**  
HIGH OUTPUT BATTERY

**1440W**  
MAX OUTPUT

**8.0AH**

4.0AH (36V)

**21700**

HIGH OUTPUT CELLS



**BSL36B18X**  
HIGH OUTPUT BATTERY

**50%**  
MORE POWER

**2160W**

MAX OUTPUT

**8.0AH**

4.0AH (36V)

**21700**

HIGH OUTPUT  
TABLESS CELLS



**NEW BSL3640MVT**  
HIGH OUTPUT TABLESS BATTERY

## UNLEASH MORE TOOL POWER

HiKOKI MULTI VOLT Tabless Battery delivers more power to high energy power tools. T-PWR delivers G3613DVF more max output power, faster grinding and cutting speeds resulting in more productivity.

Example: G3613DVF cutting performance  
(BSL36B18X vs BSL3640MVT)



BSL36B18X



BSL3640MVT

**30%**

MORE CONCRETE  
IS CUT WITH  
T/PWR BATTERY

27% more output  
power when using  
G3613DVF with  
BSL3640MVT



**1900W**

BSL3640MVT



**1500W**

BSL36B18X

**27%**

MORE OUTPUT  
POWER

## UNLEASH FASTER CHARGING

### NEW UC36YSL2 12A MAX FAST CHARGER

HiKOKI unleash the new 12Amp Max Fast Charger delivering unparalleled lightning quick charging times with extra safety benefits. UC36YSL2 features the latest in cutting-edge cooling systems, 3-way protection including overcharging and overheating technology. The UC36YSL2 is also compatible with generators and features a highly visible charge status light to easily identify the charging status wherever you are on the worksite.



**12A MAX**  
FAST CHARGER


CHARGING TIMES:

**25 min**  
BSL36A18X

**40 min**  
BSL36B18X

**40 min**  
BSL3640MVT

**+20%**  
FASTER CHARGING\*



\*Vs. UC18YSL3



# UNLEASH SUPERIOR NAILING



LEARN  
MORE



**NEW**  
INNOVATIVE MODEL

**BRUSHLESS**

**AIR SPRING  
DRIVE SYSTEM**

**MORE  
POWER**

**LIGHT  
WEIGHT**

**FAST  
NAILING**

## NR1890DCA 90MM FRAMING NAILER FEATURES



### AGGRESSIVE NEW NOSE

For effortless skew nailing even on extreme angles.



### NEW BELT / RAFTER HOOK

Easily switch the hook to the left or right side.



### DURABLE ALLOY MAGAZINE

New lightweight magazine for quick nail loading and easy cleaning.



### POWERFUL LED LIGHT

Bright LED light for low light applications.

## LIGHTWEIGHT SLIM BODY

This new 18V Gasless Framing Nailer is lighter, slimmer and more ergonomic than before. Featuring an advanced new brushless motor and slimline high pressure air chamber, this lightweight, compact framing nailer delivers you more power and performance.



# NEW GASLESS NAILER INNOVATION

## 18V Gasless Framing Nailer & 16GA Angle Brad Nailer Combo Kit

KC18DCAM(GRZ)

- Improved design that's slimmer and lighter
- New aggressive new framer nose for effortless skew nailing
- HiKOKI's unique Air Spring Drive System
- More power - Sinks nails with ease
- Faster nailing speed - fires more nails per second
- Dry-fire lockout system prevents the nailer from driving when no fasteners are inserted in the tool

Supplied with 2x 1080W Multi Volt batteries, Rapid Smart Charger, Belt Hook, 2x System Case 4s.

Specifications	NR1890DCA	NT1865DA
Voltage	18V	18V
Driving System	Air Spring Drive	Air Spring Drive
Nail Type	Clipped Head	C Series
Nail Length	50 to 90mm	32 to 65mm
Nail Angle	30 to 34°	20°
Depth Adjustment	Tool-less	Tool-less
Dry-fire lockout mechanism	✓	✓
LED light	✓	✓
Hook	Belt / Rafter	Belt hook
Magazine Capacity	50 Nails	100 Nails
Dimensions (H x D x L)	359 x 133 x 310mm	323 x 105 x 298mm



Scan for full tool specs.



## NEW 18V Gasless 90mm Framing Nailer Kit

NR1890DCA(GMZ)

- Improved design that's slimmer and lighter
- Aggressive nose for effortless skew nailing
- More Power - sinks 90mm nails with ease
- Unique Air Spring Drive System
- Improved durable alloy magazine for quick loading and cleaning
- Configurable belt/rafter hook

Supplied with 2x 1080W Multi Volt batteries, Fan-cooled Charger, Belt/Rafter Hook, Case 4.

Specifications	
Voltage	18V
Driving System	Air Spring Drive
Nail Type	Clipped Head
Nail Length	50 to 90mm
Nail Angle	30 to 34°
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Battery level indicator	On battery ✓
LED light	✓
Hook	Belt/Rafter ✓
Magazine Capacity	50 Nails
Dimensions (H x D x L)	359 x 133 x 310mm



Scan for full tool specs.

### OPTIONAL ACCESSORIES

EXTENDED MAGAZINE  
382417

NR1890DCA  
BELT HOOK  
383162

NO MAR TIP  
382493



## NEW 18V Gasless 15G Angle Finishing Nailer Bare Tool

NT1865DAA(H4Z)

- Improved new design that's slimmer and lighter
- More power - sinks 65mm 15G DA nails with ease
- Unique Air Spring Drive System
- New slimline nose for precision nailing

Supplied with Belt Hook, 3x No Mar Tip.  
Supplied without battery and charger.

Specifications	
Voltage	18V
Driving System	Air Spring Drive
Nail Type	15G DA Series
Nail Length	32 to 65mm
Nail Angle	34°
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Belt Hook	Steel ✓
Magazine Capacity	100 Nails



Scan for full tool specs.



## NEW 18V Gasless 16G Straight Brad Nailer Bare Tool

NT1865DSA(H4Z)

- Improved new design that's slimmer and lighter
- More power - sinks 65mm 16G C series nails with ease
- Unique Air Spring Drive System
- New slimline nose for precision nailing

Supplied with Belt Hook, 3x No Mar Tip.  
Supplied without battery and charger.

Specifications	
Voltage	18V
Driving System	Air Spring Drive
Nail Type	16G C Series
Nail Length	25 to 65mm
Nail Angle	Straight
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Belt Hook	Steel ✓
Magazine Capacity	100 Nails



Scan for full tool specs.





### NEW 18V Gasless 90mm Framing Nailer Bare Tool

NR1890DCA(G4Z)



#### Specifications

Voltage	18V
Driving System	Air Spring Drive
Nail Type	Clipped Head
Nail Length	50 to 90mm
Nail Angle	30° to 34°
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Belt Hook/Rafter Hook	Steel ✓
Magazine Capacity	50 Nails

### NEW 18V Gasless Round Head Nailer Bare Tool

NR1890DRA(W9Z)



#### Specifications

Voltage	18V
Driving System	Air Spring Drive
Nail Type	Round Head
Nail Length	50 to 90mm
Nail Angle	21°
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Hook	Belt/Rafter ✓
Magazine Capacity	43 Nails

### NEW 18V Gasless 90mm Concrete Nailer Bare Tool

NC1840DA(G3Z)



#### Specifications

Voltage	18V
Driving System	Air Spring Drive
Nail Type	Plastic Collated
Nail Length	15 to 40mm
Shank Diameter	2,6mm – 3,0mm
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Hook	Belt ✓
Magazine Capacity	25 Nails

### NEW 36V Gasless Duplex Formwork Nailer Bare Tool

NR3675DD(W6Z)



#### Specifications

Voltage	36V
Driving System	Air Spring Drive
Nail Type	Duplex Nails
Nail Length	45 to 75mm
Nail Angle	21°
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Belt Hook	Steel ✓
Magazine Capacity	35 Nails

### 36V Gasless 65mm Metal Connector Nailer Kit

NR3665DA(GMZ)



#### Specifications

Voltage	36V
Driving System	Air Spring Drive
Nail Type	Metal Connector
Nail Length	38 to 65mm
Nail Angle	36°
Nose Type	Positive Probe
Dry-fire lockout mechanism	✓
Belt Hook	Steel ✓
Magazine Capacity	31 Nails

### NEW 18V Gasless 45mm Coil Roof Nailer Bare Tool

NV1845DA(W6Z)



#### Specifications

Voltage	18V
Driving System	Air Spring Drive
Nail Type	Wire Coil Nails
Nail Length	25 to 45mm
Nail Angle	16°
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
LED light	✓
Magazine Capacity	120 Nails

### 18V Gasless 16G Angle Brad Nailer Bare Tool

NT1865DA(G4Z)



#### Specifications

Voltage	18V
Driving System	Air Spring Drive
Nail Type	16G C Series
Nail Length	32 to 65mm
Nail Angle	20°
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Belt Hook	Steel ✓
Magazine Capacity	100 Nails

### 18V Gasless 18G Straight Brad Nailer Bare Tool

NT1850DA(G4Z)



#### Specifications

Voltage	18V
Driving System	Air Spring Drive
Nail Type	18G C1 Series
Nail Length	16 to 50mm
Nail Angle	Straight
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Belt Hook	Steel ✓
Magazine Capacity	100 Nails

### NEW 18V Cordless 23G Pin Nailer Bare Tool

NP18DSAL(W4Z)



#### Specifications

Voltage	18V
Driving System	Spring Drive
Nail Type	23G Pin Nails
Nail Length	16 to 35mm
Nose Type	Precision Nose
Depth Adjustment	Tool-less ✓
Dry-fire lockout mechanism	✓
Belt Hook	Steel ✓
Magazine Capacity	100 Pins

### NEW 18V Cordless 13mm Fine Wire Stapler Bare Tool

N1812DA(W4Z)



#### Specifications

Voltage	18V
Driving System	Spring Drive
Staple Type	Crown width 13mm
Staple Length	6 - 13mm
Wire Thickness	0.5 x 0.7mm
Quick stapling Speed	Up to 5 staples/sec
Dry-fire lockout mechanism	✓
Belt Hook	Steel ✓
Magazine Capacity	150 Staples

### NEW 18V Cordless 10mm Fine Wire Stapler Bare Tool

N1810DA(W4Z)



#### Specifications

Voltage	18V
Driving System	Spring Drive
Staple Type	Crown width 10mm
Staple Length	7 - 10mm
Wire Thickness	0.5 x 0.7mm
Quick stapling Speed	Up to 5 staples/sec
Dry-fire lockout mechanism	✓
Belt Hook	Steel ✓
Magazine Capacity	150 Staples

### NEW 18V Gasless 18G Stapler Bare Tool

N1804DA(W4Z)



#### Specifications

Voltage	18V
Driving System	Air Spring Drive
Staple Type	Crown Gauge 18G 1/4"
Staple Length	13 to 38mm
Wire Thickness	1.25mm
Depth Adjustment	Tool-less ✓
LED Light	✓
Belt Hook	Steel ✓
Magazine Capacity	100 Staples

# High Performance Power Tools

## 18V 450g Grease Gun Kit

AL18DA(GRZ)

- Variable flow dial with 10 pre-set discharge pressure settings
- 690 bar max. discharge pressure
- 3-way filling system
- Lock-on trigger
- Two-mode operation (High/Low)

Supplied with 1x1080W battery, charger, case.



Scan for tool specs.

Barrel Capacity	450g
Flow Rate	High: 297mL / Low: 115mL
Max. Pressure	69/41MPa
Speed Modes	2 Modes
Flow Settings	10 Flow Settings
Hose Length	1200mm
Weight	4.3kg (BSL36B18X)
Voltage	18V

## 36V Brushless 40mm SDS-MAX Rotary Hammer Kit

DH3640DA(GAZ)

- Hammer Drilling or Chiseling modes
- Huge 9.2J impact energy
- User Vibration Protection (UVP)
- 4-stage speed selector
- Variable and constant speed control

Supplied with 2x 1440W Multi Volt Batteries, Rapid Charger, Case.



Scan for tool specs.

Impact Energy	9.2J
Bit Size	SDS-MAX
User Vibration Protection	UVP + LVH
Masonry	40mm
No Load Speed	0 - 500/min
Full Impact Rate	0 - 2,800/min
Weight	7.4kg (BSL36B18X)
Voltage	36V

## 18V Brushless Air Duster

### BARE TOOL

RA18DA(G4Z)

- Variable speed control
- Lightweight and compact design
- Built-in LED light
- Tool-less nozzle changing
- Blowing, inflating and deflating nozzle

Supplied without batteries and charger. Includes Dust, Suction, Inflating & deflating nozzles.



Scan for tool specs.

Max. Airflow	0.7m <sup>3</sup> /min
Air Velocity	High: 122m/s Low: 100m/s
Max. Pressure	18kPa / 2.61PSI
No Load Speed	89,000/min
Switch Style	Trigger
Motor Type	Brushless
Weight	1.2kg (BSL36A18X)
Voltage	18V

## 36V Brushless SDS-MAX Demolition Hammer BARE TOOL

H3641DA(H2Z)

- Equivalent performance to H41MB2 AC model
- Compact and lightweight model
- Low vibration Handle (LVH)
- Tool angle adjustment system
- Variable speed control

Supplied without batteries and charger. Includes side handle, bullpoint attachment



Scan for tool specs.

Bit Shank	SDS-MAX
Impact Rate (High)	2,880/min
Impact Rate (Low)	1,500/min
Full Load Vibration	9.7m/s <sup>2</sup>
Anti-Vibration System	LVH
Motor Type	Brushless
Weight	5.8kg (BSL36A18X)
Voltage	36V

## 18V 160psi Dual Pump Inflator

### BARE TOOL

UP18DA(W4Z)

- High pressure mode for tyre inflation
- High volume mode for air beds
- Auto stop function
- Large LED status display
- Power via Battery or 12V DC adaptor

Supplied without batteries and charger. Includes 12V DC adaptor



Scan for tool specs.

Max. Pressure	160PSI
Filling Capacity (HP)*	16L/min at 130kPa
Filling Capacity (HV)*	430L/min
Hose Length (HP)	1200mm
Hose Length (HV)	490mm
LED Light	Yes
Weight	3.8kg (BSL36A18X)
Voltage	18V

## 18V HEPA 13 Wet & Dry Vac

### BARE TOOL

RP18DA(W4Z)

- Compact, lightweight and portable
- Two suction modes (Eco / Boost Mode)
- Press clean button
- Dry and wet vacuuming
- HEPA 13 Filter

Supplied without batteries and charger. Includes hose, tubes, crevice & wide nozzle.



Scan for tool specs.

Filter Type	HEPA 13
Suction Work Rate	Boost: 35W / Eco: 80W
Runtime (BSL36B18X)	up to 44.5mins*
Max. Airflow	2.1m <sup>3</sup> /min
Max. Vac Pressure	12kPa
Protection Class	IPX4
Weight	5.1kg (BSL36B18X)
Voltage	18V

\*HP = High Pressure/ HV = High Volume

# CORDLESS DRILL SOLUTIONS

## 36V Brushless 13mm 155Nm Impact Drill Bare Tool

DV36DC(G4Z)

- Reactive Force Control with Gyro Sensor
- Best in class power and drilling speed
- Powerful brushless motor for continuous high speeds and underload operation
- Heavy-duty metal gear case

Supplied without battery and charger.  
Also available as a kit DV36DC(GRZ)



Scan for full tool specs.



### Specifications

Torque	155Nm
Wood Capacity	118mm
Steel Capacity	20mm
Masonry Capacity	20mm
No Load Speed	500/2,200/min
Impact Rate	7,500/33,000/min

## 36V Brushless 13mm 155Nm Driver Drill Bare Tool

DS36DC(G4Z)

- Reactive Force Control with Gyro Sensor
- Best in class power and drilling speed
- Powerful brushless motor for continuous high speeds and underload operation
- Heavy-duty metal gear case
- 13mm heavy duty metal keyless chuck

Supplied without battery and charger.



Scan for full tool specs.



### Specifications

Torque	155Nm
Wood Capacity	118mm
Steel Capacity	20mm
No Load Speed	500/2,200/min

## 18V Brushless 13mm 140Nm Impact Drill Bare Tool

DV18DC(G4Z)

- Reactive Force Control with Gyro Sensor
- Best in class power and drilling speed
- Powerful brushless motor for continuous high speeds and underload operation
- Heavy-duty metal gear case
- 13mm heavy duty metal keyless chuck

Supplied without battery and charger.



Scan for full tool specs.



### Specifications

Torque	140Nm
Wood Capacity	118mm
Steel Capacity	16mm
Masonry Capacity	20mm
No Load Speed	500/2,200/min
Impact Rate	7,500/30,000/min

## 18V Brushless 13mm Impact Drill Bare Tool

DV18DE(G4Z)

- Compact, Powerful brushless model
- Reactive Force Control safety function
- Durable metal gear case
- 13mm heavy duty metal keyless chuck

Supplied without battery and charger.  
Also available as a kit DV18DE(GMZ)



### Specifications

Drill Chuck	13mm
Wood Capacity	52mm
Steel Capacity	13mm
Masonry Capacity	13mm
No Load Speed	0-550/min (low) / 2,000/min (high)
Impact Rate	0-30,000/min



Scan for full tool specs.

## 36V Brushless 13mm Right Angle Drill Bare Tool

D36DYA(G4Z)

- Heavy duty brushless model
  - Superior drilling capacity up to 159mm hole saws
  - 2 speed gear box
  - Reactive Force Control for added safety
  - Heavy duty 13mm keyed chuck
- Supplied without battery and charger.



### Specifications

Drill Chuck	13mm
Wood Capacity	118mm
Steel Capacity	13mm
Hole Saw	159mm
No Load Speed	0-400/min (low) / 0-1,500/min (high)



Scan for full tool specs.

## 18V 10mm Angle Drill Bare Tool

DN18DSL(G4Z)

- 10mm single sleeve keyless chuck
  - Compact model with low profile head
  - Variable speed paddle trigger
  - Electric brake
  - LED light to illuminate workspace
- Supplied without battery and charger.



### Specifications

Drill Chuck	10mm
Wood Capacity	28mm
Steel Capacity	10mm
Overall Length	326mm



Scan for full tool specs.

## 36V Brushless 20mm Heavy Duty Impact Drill Bare Tool

DV3620DA(G4Z)

- Powerful heavy-duty brushless motor
  - For heavy-duty drilling applications
  - Designed for large capacity drilling under high load
  - 13mm heavy duty metal keyless chuck
  - Reduction gearbox to deliver high output
- Supplied without battery and charger.



### Specifications

Core Bit Capacity	160mm
Wood Capacity	40mm
Steel Capacity	16mm
Masonry Capacity	20mm
No Load Speed	0-1,000/min (low) / 0-1,400/min (high)
Impact Rate	13,000/min (low) / 18,200/min (high)



Scan for full tool specs.

## REACTIVE FORCE CONTROL WITH GYRO SENSOR



A Gyroscope sensor built in the controller measures angular velocity. When its value goes beyond a specified threshold, and the tool is swung dramatically, the motor stops.

# RFC

WITH GYRO SENSOR

# TORQUE BOOST TECHNOLOGY

**TORQUE BOOST TECHNOLOGY COMBINES PRECISION, POWER AND SPEED FOR THE PERFECT SMOOTH CUT EVERY TIME EVEN UNDER HEAVY LOAD.**

Torque Boost Technology combined with the Smart Auto Switch Mode automatically adjusts no-load speed and torque depending on the load and application.

Auto Switch Mode automatically adjusts no load speed between 6,000rpm (High Speed Cutting) and 4,500rpm (High Torque) achieving high speed cutting and high efficiency improving productivity.



**TORQUE BOOST**  
TECHNOLOGY



C3607DB

**TORQUE BOOST**  
TECHNOLOGY

**200**

**2x**

FASTER CUTTING SPEED

**FAST CUTTING SPEED**

Cutting speed is approximately 2 times faster than C3607DA when cutting SPF2x10 timber in Auto Switch mode.



C3607DA

**100**

0 Ratio %

## PREMIUM CIRCULAR SAWS

### C1805DA

18V Brushless  
125mm Circular Saw



CUTS **47mm**

### C1806DB 18V C3606DB 36V

165mm Circular Saw



CUTS **66mm**

### C3607DB

36V Brushless  
185mm Circular Saw

**TORQUE BOOST**



CUTS **62mm**

### C3607DWA

36V Brushless  
185mm Rear Handle Saw



CUTS **62mm**

## OPTIONAL ACCESSORIES

### 339187

Rafter Hook



### 380742

Guide Rail Adaptor

Suits  
C3607DB



AC Power  
Adaptor ET36A



Compatible with 36V Tools

### CD1805DB

18V Brushless 135mm  
Metal Cutting Saw



CUTS **57.5mm**



Scan to view specifications for all Circular Saws

# HIGH PERFORMANCE CORDLESS ANGLE GRINDERS

THE POWER OF HIKOKI CORDLESS TECHNOLOGY



G3618DA

36V Brushless  
180mm Angle Grinder  
Paddle Switch

UP TO **2350W** MAXIMUM OUTPUT\*



G3623DA

36V Brushless  
230mm Angle Grinder  
Paddle Switch

UP TO **2350W** MAXIMUM OUTPUT\*



G3613DVE

36V Brushless  
125mm Angle Grinder  
Slide Switch

UP TO **1900W** MAXIMUM OUTPUT\*



G3613DVF

36V Brushless  
125mm Angle Grinder  
Paddle Switch

UP TO **1900W** MAXIMUM OUTPUT\*



G1813DA

18V Brushless  
125mm Angle Grinder  
Slide Switch

UP TO **950W** MAXIMUM OUTPUT\*



G1813DF

18V Brushless  
125mm Angle Grinder  
Paddle Switch

UP TO **950W** MAXIMUM OUTPUT\*

AC-Like  
Performance



Optional  
Precision Cutting  
Shroud CED125 PLUS



\*When powered off a BSL3640MVT T-PWR Battery Pack.

## SUPERIOR FEATURES MAXIMISED FOR OPTIMAL PERFORMANCE

G3613DVE/DVF Angle Grinders now exceed the performance of equivalent AC models. Both models have been optimally designed with the latest safety and high performance features.



### AUTO Mode

The speed automatically shifts from 55% to 100% depending on the load preserving the battery energy.



### Variable Speed Control

Adjust the rotation speed anywhere between 3,200 - 10,000rpm to suit the application.



### Superior Dust Filtration

New mesh filter designed for additional protection from dust, reducing contamination of internal components.



### Tool-less Guard Adjustment

Easy and hassle free quick guard adjustment system ensures this essential safety component is used correctly.



### Super Slim Body Design

Smallest in class circumference - only 56mm making it easy to grip and control for extended periods.



### Dual LED Lights

Dual LEDs illuminate both sides of wheels for superior visibility.

# BEST IMPACT WRENCH POWER TO WEIGHT RATIO

HiKOKI Impact Wrenches delivers more nut busting torque and better power to weight ratio.

**600Nm**  
NUT BUSTING TORQUE



**WR18DH**  
2.0kg  
(BSL36A18X)

**700Nm**  
NUT BUSTING TORQUE



**WR36DH**  
2.0kg  
(BSL36A18X)

**1050Nm**  
NUT BUSTING TORQUE



**WR36DE**  
2.6kg  
(BSL36A18X)

**1650Nm**  
NUT BUSTING TORQUE



**WR36DB**  
3.7kg  
(BSL36A18X)

**1800Nm**  
NUT BUSTING TORQUE



**WR36DA**  
3.7kg  
(BSL36A18X)

**2000Nm**  
NUT BUSTING TORQUE



**WR36DG**  
3.9kg  
(BSL36A18X)

**2400Nm**  
NUT BUSTING TORQUE



**WR36DF**  
3.9kg  
(BSL36A18X)

## 18V Brushless 1/2" 345Nm Impact Wrench Bare Tool

WR18DH(G4Z)

- Compact, lightweight and powerful
  - Huge 345Nm tightening torque
  - 600Nm nut busting torque
  - Auto Stop prevents over-tightening
  - Reverse rotation auto-slow function
- Supplied without batteries and charger.



### Specifications

Voltage	18V	
Square Drive	1/2"	12.7mm
Max Torque	345Nm	
Modes	4 Speed Modes	4 Impact Modes
No Load Speed	0 - 2,800/min	
Impact Modes	0 - 4,000/min	
Capacity Bolt	OB M10 - M20	HTB M10 - M16
IP Rated	IP56	
Weight	2.0kg	



Scan for full tool specs.

## 36V Brushless 1/2" 380Nm Impact Wrench Bare Tool

WR36DH(G4Z)

- Compact, lightweight and powerful
  - Huge 380Nm tightening torque
  - 700Nm nut busting torque
  - Auto Stop prevents over-tightening
  - Reverse rotation auto-slow function
- Supplied without batteries and charger.



### Specifications

Voltage	36V	
Square Drive	1/2"	12.7mm
Max Torque	380Nm	
Modes	4 Speed Modes	4 Impact Modes
No Load Speed	0 - 2,800/min	
Impact Modes	0 - 4,000/min	
Capacity Bolt	OB M10 - M20	HTB M10 - M16
IP Rated	IP56	
Weight	2.0kg	



Scan for full tool specs.

## 36V Brushless 1/2" 770Nm Impact Wrench Bare Tool

WR36DE(G4Z)

- Compact, lightweight and powerful
  - Huge 770Nm tightening torque
  - 1050Nm nut busting torque
  - Auto Stop prevents over-tightening
  - IP56 Water and Dust protection
- Supplied without batteries and charger.



### Specifications

Voltage	36V	
Square Drive	1/2"	12.7mm
Max Torque	770Nm	
Modes	4 Speed Modes	4 Impact Modes
No Load Speed	0 - 2,400/min	
Impact Modes	0 - 3,400/min	
Capacity Bolt	OB M10 - M24	HTB M10 - M20
IP Rated	IP56	
Weight	2.6kg	



Scan for full tool specs.

## 36V Brushless 1/2" 1,050Nm Impact Wrench Bare Tool

WR36DB(G4Z)

- Powerful high torque model
  - Huge 1050Nm tightening torque
  - 1650Nm nut busting torque
  - 4 Mode selector
  - IP56 Water and Dust protection
- Supplied without batteries and charger.



### Specifications

Voltage	36V	
Square Drive	1/2"	12.7mm
Max Torque	1050Nm	
Modes	4 Speed Modes	4 Impact Modes
No Load Speed	0 - 1,500/min	
Impact Modes	0 - 2,900/min	
Capacity Bolt	OB M12 - M30	HTB M10 - M24
IP Rated	IP56	
Weight	3.7kg	



Scan for full tool specs.

## 36V Brushless 3/4" 1,110Nm Impact Wrench Bare Tool

WR36DA(G4Z)

- Powerful high torque model
  - Huge 1,100Nm tightening torque
  - 1,800Nm nut busting torque
  - 4 Mode selector
  - IP56 Water and Dust protection
- Supplied without batteries and charger.



### Specifications

Voltage	36V	
Square Drive	3/4"	19mm
Max Torque	1100Nm	
Modes	4 Speed Modes	4 Impact Modes
No Load Speed	0 - 2,800/min	
Impact Modes	0 - 4,000/min	
Capacity Bolt	OB M12 - M30	HTB M10 - M24
IP Rated	IP56	
Weight	3.7kg	



Scan for full tool specs.

## 36V Brushless 1/2" 1,400Nm Impact Wrench Bare Tool

WR36DG(G4Z)

- Powerful high torque model
  - Huge 1400Nm tightening torque
  - 2,000Nm nut busting torque
  - Auto Stop prevents over-tightening
  - Reverse rotation auto-slow function
- Supplied without batteries and charger.



### Specifications

Voltage	36V	
Square Drive	1/2"	12.7mm
Max Torque	1400Nm	
Modes	4 Speed Modes	4 Impact Modes
No Load Speed	0 - 1,500/min	
Impact Modes	0 - 2,500/min	
Capacity Bolt	OB M12 - M33	HTB M10 - M24
IP Rated	IP56	
Weight	3.9kg	



Scan for full tool specs.

## 36V Brushless 3/4" 1,900Nm Impact Wrench Bare Tool

WR36DF(G4Z)

- Powerful high torque model
  - Huge 1900Nm tightening torque
  - 2,400Nm nut busting torque
  - Auto Stop prevents over-tightening
  - Reverse rotation auto-slow function
- Supplied without batteries and charger.



### Specifications

Voltage	18V	
Square Drive	3/4"	19mm
Max Torque	1,900Nm	
Modes	4 Speed Modes	4 Impact Modes
No Load Speed	0 - 1,500/min	
Impact Modes	0 - 2,600/min	
Capacity Bolt	OB M10 - M26	HTB M10 - M27
IP Rated	IP56	
Weight	3.9kg	



Scan for full tool specs.

## 36V Brushless 1/2" 1,050Nm Impact Wrench Kit

WR36DB(GPZ)

- Powerful high torque model
  - Huge 1050Nm tightening torque
  - 1650Nm nut busting torque
  - 4 Mode selector
- Supplied with 1x BSL36A18X, Rapid Charger, Belt Hook, Case 3.



### Specifications

Voltage	36V	
Square Drive	1/2"	12.7mm
Max Torque	1050Nm	
Modes	4 Speed Modes	4 Impact Modes
No Load Speed	0 - 1,500/min	
Impact Modes	0 - 2,900/min	
Capacity Bolt	OB M12 - M30	HTB M10 - M24
IP Rated	IP56	
Weight	3.7kg	



Scan for full tool specs.

## 36V Brushless 3/4" 1,110Nm Impact Wrench Kit

WR36DA(GPZ)

- Powerful high torque model
  - Huge 1,100Nm tightening torque
  - 1,800Nm nut busting torque
  - 4 Mode selector
- Supplied with 1x BSL36A18X, Rapid Charger, Belt Hook, Case 3.



### Specifications

Voltage	36V	
Square Drive	3/4"	19mm
Max Torque	1100Nm	
Modes	4 Speed Modes	4 Impact Modes
No Load Speed	0 - 2,800/min	
Impact Modes	0 - 4,000/min	
Capacity Bolt	OB M12 - M30	HTB M10 - M24
IP Rated	IP56	
Weight	3.7kg	



Scan for full tool specs.

# A CHARGING SOLUTION FOR EVERY JOB.



## Portable USB Power Charger Set

UC18DA(H4Z)

- Charges 18V & MULTI VOLT batteries
- 1x 65W USB-C PD IN/OUT
- 1x 5V-2.5A USB-C OUT

**CHARGE MOBILE**



**100min**

CHARGING BSL36A18X



## Rapid Smart Charger

UC18YSL3(H0Z)

- Charges 18V & MULTI VOLT batteries
- Fan-cooling System
- 1x USB-A 5V-2A Output

**CHARGE FAST**



**32min**

CHARGING BSL36A18X



## 12A Max Fast Charger

UC36YSL2

- Charges 18V & MULTI VOLT batteries
- Fan-cooling System
- 1x USB-A 5V-2A Output

**CHARGE FASTEST**



**25min**

CHARGING BSL36A18X



## 4-Port Rapid Smart Charger

UC18YTSL

- Charges 18V & MULTI VOLT batteries
- Fan-cooling System
- Simultaneous or Sequential charging modes
- 1x USB-A 5V-2A Output

**CHARGE MORE**



**32min**

CHARGING BSL36A18X



**18V**

**36V**

**HiKOKI**  
**POWER TOOLS**  
**BARE TOOL**  
**MULTI**



**HiKOKI**  
**MULTI**



**HITACHI**  
**FOR ANY**  
**JOB WITH**  
**36VOLT**



**36VOLT**

# A POWER SOLUTION FOR EVERY JOB.

**360W**  
 MAX OUTPUT  
**2.0AH (18V)**



**18650**  
 HIGH OUTPUT CELLS  
*BSL1820M*  
 COMPACT  
 LITHIUM-ION BATTERY

**720W**  
 MAX OUTPUT  
**4.0AH (18V)**



**21700**  
 HIGH OUTPUT CELLS  
*BSL1840M*  
 COMPACT  
 LITHIUM-ION BATTERY

**1080W**  
 MAX OUTPUT  
**5.0AH (18V)**  
 2.5AH (36V)



**18650**  
 HIGH OUTPUT CELLS  
*BSL36A18X*  
 HIGH OUTPUT  
 MULTI VOLT BATTERY

**1440W**  
 MAX OUTPUT  
**8.0AH (18V)**  
 4.0AH (36V)



**21700**  
 HIGH OUTPUT CELLS  
*BSL36B18X*  
 HIGH OUTPUT  
 MULTI VOLT BATTERY

**2160W**  
 MAX OUTPUT  
**8.0AH (18V)**  
 4.0AH (36V)



**21700**  
 HIGH OUTPUT  
 TABLESS CELLS  
*BSL3640MVT*  
 HIGH OUTPUT  
 TABLESS  
 MULTI VOLT BATTERY



**2000W**  
 MAX OUTPUT  
**230V**  
 INPUT POWER

**36V**  
 POWER OUTPUT  
*ET36A*  
 AC POWER ADAPTOR

# OUTDOOR POWER EQUIPMENT

## NEW 36V Brushless 300mm Top Handle Chainsaw Bare Tool

CS3630DC(H4Z)

- High 12.6m/s cutting performance
  - Up to 390 cuts off a battery (BSL36B18X)
  - Top handle chainsaw with 300mm bar for professional tree pruning
  - Fast chain brake safety function
  - Low vibration, lightweight and compact model
- Supplied without battery and charger.



Scan for full tool specs.



## 36V Brushless 350mm Chainsaw Bare Tool

CS3635DB(G4Z)

- High 14.9m/s cutting performance
  - Superior torque and chain speed for powerful fast cuts
  - Toolless chain change and chain tension
  - Anti-kickback protection
  - Fast chain brake safety function
- Supplied without battery and charger.



Scan for full tool specs.



## 36V Straight Shaft Line Trimmer Bare Tool

CG36DB(G5Z)

- Variable speed control
  - 3 mode selector
  - Low noise, low vibration
  - Bike handles for wider cutting motion
- Supplied without battery and charger.  
Includes nylon head, guard, shoulder belt.



Scan for full tool specs.



## 36V Straight Shaft Line Trimmer Bare Tool

CG36DB(G4Z)

- Variable speed control
  - 3 mode selector
  - Low noise, low vibration
  - Loop handle for easy control
- Supplied without battery and charger.  
Includes nylon head, guard, shoulder belt.



Scan for full tool specs.



## 36V Brushless Blower Bare Tool

RB36DA(G4Z)

- High air velocity performance
  - 4-speed switch with turbo mode
  - 13.3m<sup>3</sup>/s<sup>2</sup> Air flow
  - 0-11.3m<sup>3</sup>/min Air Volume
- Supplied without battery and charger.



Scan for full tool specs.



## 36V 560mm Hedge Trimmer Bare Tool

CH3656DA(G4Z)

- 4 stage speed selector
  - Triple-edged 560mm blade
  - Durable alloy gearbox
  - Up to 60min runtime (BSL36A18X)
  - Lightweight and well balanced
- Supplied without battery and charger.



Scan for full tool specs.



## 18V One Handed Sabre Saw Bare Tool

CR18DA(G4Z)

- Variable speed
  - Compact design and one handed operation
  - Tool-less blade change and shoe adjustment
  - 50mm cutting capacity
- Supplied without battery and charger.  
Includes blade.



Scan for full tool specs.



## 18V Brushless Pressure Washer Bare Tool

AW18DBL(H4Z)

- Can operate from mains or tank water
  - Approx 1.2L water user per min
  - 8L tank capacity
  - Water pressure is adjustable
  - Powerful brushless motor
- Supplied without battery and charger.  
Includes gun, hose, variable nozzle.



Scan for full tool specs.



# MULTI CRUISER

## Modular Storage System

### MULTI CRUISER MEDIUM TOOL BOX

379481

- Rugged impact resistant design
- Durable top handle
- IP65 water and dust rated
- Internal organiser trays
- External tie down points
- Robust hinge and clip connecting system



**IP65**



x2  
ORGANISER CASES INCLUDED

#### MULTI CRUISER

Width	560mm
Depth	400mm
Height	158mm
Max Load Capacity	30kg
Accessories Included	x2 Organiser Case



Scan for specs.

### MULTI CRUISER LARGE TOOL BOX

379484

- Rugged impact resistant design
- Durable side handles
- IP65 water and dust rated
- Inner tray for organisation
- External tie down points
- Robust hinge and clip connecting system



**IP65**



x1  
ORGANISER TRAY INCLUDED

#### MULTI CRUISER

Width	560mm
Depth	400mm
Height	315mm
Max Load Capacity	60kg
Accessories Included	1x Organiser Tray




Scan for specs.

### MULTI CRUISER PORTABLE TOOL BOX

379487

- 9" Large all terrain wheels with heavy duty metal axle
- Rugged impact resistant design
- Durable side handles
- IP65 water and dust rated
- External tie down points
- Robust hinge and clip connecting system
- 120kg weight loading



x1  
ORGANISER TRAY INCLUDED



**IP65**

#### MULTI CRUISER

Width	560mm
Depth	480mm
Height	678mm
Max Load Capacity	120kg
Accessories Included	1x Organiser Trays



Scan for specs.

### Optional Multi Cruiser Accessories

Accessorise your Multi Cruiser Storage to maximise versatility





**MAKE. MOVE. GO**

**HIKOKI**